

Message

From: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Sent: 5/19/2017 1:19:25 PM
To: Hirsh, Steven [Hirsh.Steven@epa.gov]
Subject: FW: Bishop Tube Control Correspondence - Due 5/19/2017

FYI.

From: Koffi, LaRonda
Sent: Friday, May 19, 2017 8:20 AM
To: Vallone, Christopher <Vallone.Christopher@epa.gov>
Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube Control Correspondence - Due 5/19/2017

Please give it directly to Karen. I left early yesterday and this didn't go through a normal process.

Thanks.

From: Vallone, Christopher
Sent: Thursday, May 18, 2017 1:09 PM
To: Koffi, LaRonda <Koffi.LaRonda@epa.gov>
Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: Bishop Tube Control Correspondence - Due 5/19/2017
Importance: High

Hi LaRonda,

There is a control correspondence letter that is on your desk that needs to be signed by Karen by tomorrow 5/19/2017. I attached the document to this email so you may look at over and provide comments, if necessary. Yazmine, Steve, and Paul already reviewed the document and submitted minor comments already and this is the updated version. Please let me know if you have any questions/comments and I appreciate the quick turnaround.

Thanks,

Christopher Vallone
Site Assessment Manager, HSCD
Environmental Protection Agency, Region 3
1650 Arch St., 3HS12
Philadelphia, PA 19103
215-814-3306 (desk)